

## Zn-BEARING CINNABAR FROM RABE NEAR BALIGRÓD (BIESZCZADY MTS., OUTER CARPATIANS, SE POLAND)

KARWOWSKI, Ł. & SZEŁĘG, E.

Faculty of Earth Sciences, University of Silesia, Będzińska 60, 41-200 Sosnowiec, Poland  
E-mail: lkarwows@wnoz.us.edu.pl, szeleg@wnoz.us.edu.pl

Presence of cinnabar associated with As sulphides from Rabe near Baligród was described by KARWOWSKI & SZEŁĘG (2005). This As-Hg mineralization is epigenetic and is connected with dislocated zones within sedimentary rocks (sandstones, shales, conglomerates) of the Bystre thrust-sheet (Fore Dukla unit, Silesian nappe) (ŚLĄCZKA, 1958; RYBAK, 2000). Realgar and orpiment are the main As minerals (OSTROWICKI, 1958; GAWEL, 1970). Cinnabar is represented by two types differing in optical and chemical properties. The first type is pure HgS, the second type contains Fe as impurity up to 0.01 *apfu* and shows lower reflectance than the first one. Cinnabar occurs together with realgar, orpiment, As-bearing pyrite, carbonates (dolomite–ankerite–siderite series), kaolinite and automorphic quartz. Chalcopyrite inclusions within cinnabar have been observed. Cinnabar crystallized before realgar.

TOMKINS *et al.* (2004), in accordance with OSADCHII (1990) and POWELL & PATTISON (1997), described sphalerite–cinnabar solid solution at temperature above 200 °C and at pressure of 1 bar. Two separate phases: Hg-rich sphalerite and cinnabar (in the  $Zn_{0.80}Hg_{0.20}S$ –HgS range) coexist below 200 °C. LEONARD *et al.* (1978) described a new mineral – polhemusite. Its composition is within the  $Hg_{0.10}Zn_{0.92}S_{0.99}$  to  $Hg_{0.22}Zn_{0.83}S_{0.95}$  range.

In this paper we report the co-occurrence of pure cinnabar together with Zn-bearing cinnabar represented by sector-zoned crystals (Fig. 1) and isolated exsolutions. Sector-zoned crystals occur outside the pure cinnabar aggregates. Dark sectors on Fig. 2 contain up to 0.12 *apfu* of Zn. Iron and sil-

ver (trace) are evenly distributed. Investigated phases are high-Zn varieties of cinnabar.

Isolated small exsolutions of Zn-bearing cinnabar (up to 5  $\mu m$ ) occur within pure cinnabar. The authors observed a few grains, in which Zn predominated over Hg, e.g.  $(Zn_{0.52}Hg_{0.39}Fe_{0.09})S$ . These phases are anisotropic and probably are high-Hg varieties of a mineral close to polhemusite. Pure sphalerite has not been observed. Probably, the structure of cinnabar trapped all Zn from mineralizing fluids precluding sphalerite crystallization.

### References

- GAWEL, A. (1970): Mineralogia Polonica, 1: 7–16.  
 KARWOWSKI, Ł. & SZEŁĘG, E. (2005): Mineralogical Society of Poland – Special Papers, 25: 318–322.  
 LEONARD, B.F., DESBOROUGH, G.A. & MEAD, C.W. (1978): American Mineralogist, 63: 1153–1161.  
 OSADCHII, E.G. (1990): Neues Jahrbuch Mineralogie. Monatshefte, (1): 13–34.  
 OSTROWICKI, B. (1958): Kwartalnik Geologiczny, 2: 644–653.  
 POWELL, W.G. & PATTISON, D.R.M. (1997): Economic Geology, 92: 569–577.  
 RYBAK, B. (2000): Przegląd Geologiczny, 48: 1023–1029.  
 ŚLĄCZKA, A. (1958): Kwartalnik Geologiczny, 2: 637–643.  
 TOMKINS, A.G., PATTISON, D.R.M. & ZALESKI, E. (2004): Economic Geology, 99: 1063–1084.




Fig. 1: BSE image of Zn-bearing cinnabar (left) and pure cinnabar (right). A–B: line scan.




Fig. 2: Variability of Zn (■) and Fe (▲) within Zn-bearing cinnabar. A–B: line scan.